


Wiring Duct

WIRING DUCT (SLOTTED)



Wiring Duct (Slotted)

Material: made from PVC(grey), good insulation and heat-resisting up to 85°C.
Struction: made up of duct bottom and lid, with two out-holes designed at the bottom.




Item No.	H × W	Contained Wire(1.5 ⁷)	Length
PXC-2015	20×15	5-10PCS	
PXC-2020	20×20	10-15PCS	
PXC-2025	20×25	10-20PCS	
PXC-2525	25×25	10-25PCS	
PXC-2545	25×45	25-40PCS	
PXC-3015	30×15	5-15PCS	
PXC-3020	30×20	10-20PCS	
PXC-3025	30×25	15-25PCS	
PXC-3030	30×30	20-30PCS	
PXC-3035	30×35	30-45PCS	
PXC-3040	30×40	35-50PCS	
PXC-3050	30×50	45-60PCS	
PXC-3525	35×25	25-35PCS	
PXC-3535	35×35	40-55PCS	
PXC-4025	40×25	20-40PCS	
PXC-4030	40×30	35-50PCS	
PXC-4040	40×40	45-55PCS	
PXC-4060	40×60	60-80PCS	
PXC-4525	45×25	25-40PCS	
PXC-4535	45×35	40-55PCS	
PXC-4545	45×45	60-70PCS	
PXC-4565	45×65	90-100PCS	
PXC-5015	50×15	25-35PCS	
PXC-5025	50×25	25-45PCS	
PXC-5030	50×30	30-55PCS	
PXC-5035	50×35	50-60PCS	
PXC-5040	50×40	60-70PCS	
PXC-5045	50×45	70-85PCS	
PXC-5050	50×50	90-100PCS	
PXC-5055	50×55	100-110PCS	
PXC-5060	50×60	95-105PCS	
PXC-5080	50×80	180-200PCS	
PXC-50100	50×100	220-250PCS	
PXC-6525	65×25	60-70PCS	
PXC-6545	65×45	100-110PCS	
PXC-6565	65×65	180-200PCS	
PXC-8035	80×35	140-160PCS	
PXC-8045	80×45	160-180PCS	
PXC-8050	80×50	180-200PCS	
PXC-8055	80×55	200-220PCS	
PXC-8080	80×80	240-290PCS	
PXC-80100	80×100	280-350PCS	
PXC-100100	100×100	300-400PCS	

2M


Wiring Duct

WIRING DUCT (SOLD)



Wiring Duct (Sold)

Material: made from PVC (grey), good insulation and heat-resisting up to 85°C.
 Struction: up of duct bottom and lid, with two out-holes designs at the bottom.



Item No.	H × W	Contained Wire(1.5 ²)	Length
PZC-1015	10 × 15	2-5PCS	
PZC-1020	10 × 20	3-6PCS	
PZC-1025	10 × 25	5-10PCS	
PZC-1035	10 × 35	10-15PCS	
PZC-1525	15 × 25	5-10PCS	
PZC-1530	15 × 30	5-15PCS	
PZC-2030	20 × 30	10-20PCS	
PZC-2035	20 × 35	15-25PCS	
PZC-2050	20 × 50	20-25PCS	
PZC-2540	25 × 40	20-40PCS	
PZC-3045	30 × 45	25-45PCS	
PZC-3050	30 × 50	30-50PCS	
PZC-3060	30 × 60	55-65PCS	
PZC-3080	30 × 80	75-85PCS	
PZC-30100	30 × 100	130-150PCS	
PZC-5015	50 × 15	10-25PCS	
PZC-5025	50 × 25	25-45PCS	
PZC-5035	50 × 35	50-60PCS	
PZC-5045	50 × 45	70-80PCS	
PZC-5050	50 × 50	80-90PCS	
PZC-5055	50 × 55	100-110PCS	
PZC-5080	50 × 80	180-200PCS	
PZC-8045	80 × 45	160-180PCS	
PZC-8050	80 × 50	180-200PCS	
PZC-8055	80 × 55	180-210PCS	
PZC-8080	80 × 80	240-290PCS	
PZC-80100	80 × 100	260-350PCS	

2M


Wiring Duct

DSW Wiring Duct

ROUND TYPE WIRING DUCT

Round Type Wiring Duct

Material: High impact, rigid, self-extinguishing P.V.C
Service temperature:85℃
Backed with high quality double sided tape for permanent stick.
Good for floor wiring to facilitate trolley pass and to avoid trip.



Item No.	W	H	Length	Color
RTD-1	24	8	1M	White Grey Breen
RTD-2	31.7	8.5		
RTD-3	39.2	11		
RTD-4	52	11.3		
RTD-5	63	12.5		
RTD-6	70	13.2		

DSW product 2008

The information contained herein is believed to be correct, but no guarantee for accuracy, completeness